

ABS NFT: Securitization and Repurchase Scheme for Non-Fungible Tokens Based on Game Theoretical Analysis

Hongyin Chen¹, Yukun Cheng² ✉, Xiaotie Deng¹ ✉, Wenhan Huang³, and Linxuan Rong⁴

¹ Center on Frontiers of Computing Studies, Peking University, Beijing, China
{chenhongyin,xiaotie}@pku.edu.cn

² Suzhou University of Science and Technology, Suzhou, China
ykcheng@amss.ac.cn

³ Department of Computer Science, Shanghai Jiao Tong University, Shanghai, China
rowdark@sjtu.edu.cn

⁴ Washington University in St. Louis, St. Louis, MO, the U.S.
l.rong@wustl.edu

Abstract. The Non-Fungible Token (NFT) is viewed as one of the important applications of blockchain technology. Although NFT has a large market scale and multiple practical standards, several limitations of the existing mechanism in NFT markets exist. This work proposes a novel securitization and repurchase scheme for NFT to overcome these limitations. We first provide an Asset-Backed Securities (ABS) solution to settle the limitations of non-fungibility of NFT. Our securitization design aims to enhance the liquidity of NFTs and enable Oracles and Automatic Market Makers (AMMs) for NFTs. Then we propose a novel repurchase protocol for a participant owing a portion of NFT to repurchase other shares to obtain the complete ownership. As participants may strategically bid during the acquisition process, our repurchase process is formulated as a Stackelberg game to explore the equilibrium prices. We also provide solutions to handle difficulties at market such as budget constraints and lazy bidders.

Keywords: Non-Fungible Token · Asset-Backed Securities · Blockchain · Stackelberg Game

1 Introduction

Ever since the birth of the first piece of Non-Fungible Token (NFT) [9] [21], the world has witnessed an extraordinarily fast growth of its popularity. NFT markets, especially Opensea⁵, have prospered with glamorous statistics of a total of over 80 million pieces of NFTs on the platform and a total transaction volume of over 10 billion US dollars.⁶

⁵ Opensea Platform. <https://opensea.io/>

⁶ Data source from Opensea <https://opensea.io/about>

NFT is a type of cryptocurrency that each token is non-fungible. The first standard of NFT, ERC-721 [8], gives support to a type of tokens that each has a unique identifier. The feature of uniqueness makes NFTs usually be tied to specific assets, such as digital artwork and electronic pets. Some researches also explore the application of NFT in patent, copyright and physical assets [4] [18].

The technology of NFT has also advanced rapidly. Besides ERC-721, ERC-1155 [7] is also a popular standard of NFT. ERC-1155 is a flexible standard that supports multiple series of tokens, each series is a type of NFT or Fungible Token (FT). NFT protocols are usually derived by smart contracts in a permissionless blockchain, but there are now some NFT designs for permissioned blockchains [10].

Although NFT has a large market scale and multiple practical standards, the market theory of NFT is still immature. The existing NFT marketplace uses an English Auction or Dutch Auction to trade NFTs [12]. There are several limitations in the existing mechanism due to the non-fungible property:

- First, the liquidity for NFTs with high values is limited. For example, as the NFT series with the highest market value, CryptoPunks has an average trading price of 189 Eth⁷, which is worth more than 790, 000 U.S. dollars⁸. As a result, the liquidity of CryptoPunks is significantly lower than other NFT series.
- Second, the feature of non-fungible makes NFT unable to be directly applied in Oracles [15] and Automated Market Makers (AMMs) [2], which are important methods of pricing in the blockchain.
- Third, NFTs with long investment return periods have high investment risk, but the existing mechanism is unable to reduce such a risk.
- Fourth, the NFT assets such as a patent that still needs financial support to foster the process of development would require a means to attract finance, shared ownership is not allowed in the existing mechanisms.

1.1 Main Contributions

We present ABSNFT, a securitization and repurchase scheme for NFT, which overcomes the above-mentioned limitations from the following three aspects.

- First, we propose an Asset-Backed Securities (ABS) [3] solution to settle the limitations of non-fungibility of NFT. We design a smart contract including three parts: NFT Securitization Process, NFT Repurchase Process, and NFT Restruction Process. In our smart contract, a complete NFT can be securitized into fungible securities, and fungible securities can be reconstructed into a complete NFT.

⁷ 90-day average before November 22, 2021. Data source from <https://opensea.io/activity/cryptopunks>

⁸ The price of Eth here refers to the data on November 22, 2021. <https://etherscan.io/chart/etherprice>

The securitization process manages to resolve the majority of issues the current NFT application is confronted with: the securities of NFT have lower values compared to the complete one before securitization, which increases market liquidity; securities could act as fungible tokens that can be applied in Oracles and AMMs; the investment risk is being reduced dramatically; financing is possible since securities can belong to different owners.

To our best of knowledge, ABS NFT is the first NFT scheme that provides a complete design on NFT securitization and securities reconstruction.

- Second, we design a novel repurchase process based on Stackelberg game [19], which provides a mechanism to repurchase NFT securities at a fair price. The NFT Repurchase Process can be triggered by the participant who owns more than half of the securities of the NFT. We analyze the Stackelberg Equilibrium (SE) in three different settings and get good theoretical results.
- Third, we propose solutions to the budget constraints and lazy bidders, which make good use of the decentralization of blockchain. We propose a protocol that allows participants to accept financial support in the repurchase game to reduce the influence of budget constraints. we also propose two solutions for players that might not bid in the game, which prevent the game process from being blocked and protect the utility of lazy bidders.

1.2 Related Works

In financial research, there are two well-studied repurchase scenarios, repurchase agreement and stock repurchase.

Repurchase agreement is a short-term transaction between two parties in which one party borrows cash from the other by pledging a financial security as collateral [1]. The former party is called the security issuer, and the latter party is called the investors. To avoid the failure of liquidation, the security issuer needs to mortgage assets or credit. An instance of such work from the Federal Reserve Bank of New York Quarterly Review introduces and analyzes a repurchase agreement for federal funds [14]. The Quarterly Review describes the repurchase agreement as “involving little risk”, as either parties’ interests are been safeguarded.

Studies of repurchase agreement cannot be directly applied to our topic. The key point is that the problem we are studying is not to mortgage NFTs to obtain cash flow, but to securitize NFTs to overcome the restrictions of non-fungibility. What’s more, the repurchase prices are usually derived from the market model. But the NFT market is not as mature as the financial market, which makes it hard to calculate a fair price through the market model.

Stock repurchase refers to the behavior that listed companies repurchase stocks from the stockholders at a certain price [6]. Usually, stock repurchase is adopted to release positive signals to the stock market and doesn’t aim to repurchase all stocks. However, NFTs usually need to be complete without securities in cross-chain scenarios.

Oxygen [16] is a decentralized platform that supports repurchase agreement based on digital assets. In Oxygen, users can borrow cash flow or assets with

good liquidity by pledging assets with poor liquidity. The repurchase prices and the evaluations of assets are provided by a decentralized exchange, Serum [17]. However, such pricing method is dangerous because decentralized exchanges are very vulnerable to attacks like flash loans [20].

ABS NFT is distinguished among all these works because it adapts well to the particularities of NFT market and blockchain.

- First, the securities in ABS NFT represent property rights rather than creditor’s rights. Investors do not need to worry that the cash flow or the mortgaged assets of the securities issuer may not cover the liquidation, which may be risky in a repurchase agreement. What’s more, any investor can trigger a repurchase process as long as he owns more than half of the shares.
- Second, the repurchase process of ABS NFT doesn’t depend on market models or exchanges. The repurchase price is decided by the bids given by participants, and every participant won’t get negative utility if he bids truthfully.
- Third, ABS NFT has well utilized the benefits of blockchain technology. The tradings of securities are driven by the smart contract. The operations of ABS NFT don’t rely on centralized third-party and are available 24×7 for participants.

The rest of the paper is arranged as follows. Section 2 introduces the NFT securitization process. In Section 3 and Section 4, we study the two-player repurchase game in a single round and the repeated setting. In Section 5, we analyze the repurchase game with multiple leaders and one follower. In section 6, we discuss the solution to the issues with budget constraints and lazy bidders in the blockchain setting. In the last section, we give a summary of ABS NFT and propose some future works.

2 NFT Securitization and Repurchase Scheme

In this section, we would like to introduce the general framework of the smart contract, denoted by C_{NFT} , which includes the securitization process, the trading process, repurchase process and reconstruction process for a given NFT.

2.1 Basic Setting of NFT Smart Contract

There are two kinds of NFTs discussed in this paper.

- **Complete NFT.** Complete NFTs are conventional non-fungible tokens, which appear in blockchain systems as a whole. Each complete NFT has a unique token ID. We use $CNFT(id)$ to denote one complete NFT with token ID of id .
- **Securitized NFT.** Securitized NFTs are the *Asset Based Securities* of complete NFTs. A complete NFT may be securitized into an amount of securitized units. All units of securitized NFTs from a complete NFT $CNFT(id)$ have the same ID, associated with the ID of $CNFT(id)$. Thus we denote the securitized NFT by $SNFT(id)$. In our smart contract, all securitized NFTs can be freely traded.

In our setting, all complete NFTs and securitized NFTs belong to one smart contract, denoted by C_{NFT} . Although the securitized NFTs are similar to the fungible tokens in ERC-1155 standard [7], our smart contract C_{NFT} is actually quite different from ERC-1155 standard. That is because all securitized NFTs in C_{NFT} , associated to one complete NFT, have the same ID, while different NFTs and different fungible tokens generally have different token IDs in ERC-1155 standard. Therefore, our C_{NFT} is based on ERC-721 standard [8], and the complete NFTs are just the NFTs defined in ERC-721. Table 1 lists all functions in C_{NFT} .

Table 1. The key functions of C_{NFT}

| Function Name | Function Utility |
|--|--|
| $CNFTownerOf(id)$ | Return the address of the owner of $CNFT(id)$. |
| $CNFTtransferFrom(addr1, addr2, id)$ | Transfer the ownership of $CNFT(id)$ from address $addr1$ to address $addr2$. Only the owner of $CNFT(id)$ has the right to trigger this function. |
| $SNFTtotalSupply(id)$ | Return the total amount of $SNFT(id)$ in contract C_{NFT} . |
| $SNFTbalanceOf(addr, id)$ | Return the amount of $SNFT(id)$ owned by address $addr$. |
| $SNFTtransferFrom(addr1, addr2, id, amount)$ | Transfer the ownership of $amount$ unit of $SNFT(id)$ from address $addr1$ to address $addr2$. |
| $CNFTsecuritization(addr, id, amount)$ | Freeze $CNFT(id)$, and then transfer $amount$ units of $SNFT(id)$ to address $addr$. Only the owner of $CNFT(id)$ can trigger this function. |
| $CNFTrestruction(addr, id)$ | Burn all $SNFT(id)$, unfreeze $CNFT(id)$, and then transfer the ownership of $CNFT(id)$ to address $addr$. Only the one who owns all amounts of $SNFT(id)$ can trigger this function. |
| $Repurchase(id)$ | Start the repurchase process of $SNFT(id)$. Only the one who owns more than half amounts of $SNFT(id)$ can trigger this function. |

The task of smart contract C_{NFT} includes securitizing complete NFTs, trading the securitized NFTs among participants, and restructuring complete NFT after repurchasing all securitized NFTs with the same ID. Because the transactions of securitized NFTs are similar to those of fungible tokens, we omit the trading process here and introduce NFT securitization process, NFT repurchase process and NFT restruction process in the subsequent three subsections respectively.

2.2 NFT Securitization Process

This subsection focuses on the issue of Asset-Backed Securities for Complete NFTs. We propose Algorithm 1 to demonstrate the NFT securitization process. To be specific, once $CNFTsecuritization(addr, id, amount)$ is triggered by the owner of $CNFT(id)$, the $amount$ units of securitized NFTs are generated and

transferred to address $addr$ in Line 2-4; then the ownership of $CNFT(id)$ would be transferred to a fixed address $FrozenAddr$ in Line 5.

It is worth to note that if $Repurchase(id)$ has not been triggered, securitized NFTs can be freely traded in blockchain system.

Algorithm 1 NFT Securitization

- 1: **procedure** CNFTSECURITIZATION ▷ Triggered by $sender$
 - 2: $require(sender == CNFTownerOf(id))$ ▷ $sender$ is the owner of $CNFT(id)$
 - 3: $totalSupply[id] \leftarrow amount$ ▷ Record the total amount of units of $SNFT(id)$
 - 4: $tokenBalance[id][addr] \leftarrow amount$ ▷ the $amount$ units $SNFT(id)$ are generated and transferred to address $addr$
 - 5: $CNFTtransferFrom(sender, FrozenAddr, id)$ ▷ Freeze $CNFT(id)$
-

2.3 NFT Repurchase Process

After the securitization process, a complete NFT $CNFT(id)$ is securitized into M units of $SNFT(id)$. Suppose that there are $k+1$ participants, $N = \{N_0, \dots, N_k\}$, each owning m_i units of $SNFT(id)$. Thus $\sum_{i=0}^k m_i = M$. If there is one participant, denoted by N_0 , owing more than half of $SNFT(id)$ (i.e. $m_0 > \frac{1}{2}M$), then he can trigger the repurchase process by trading with each $N_i, i = 1, \dots, k$. Majority is a natural requirement for a participant to trigger a repurchase mechanism, and thus our repurchase mechanism sets the threshold as $\frac{1}{2}$. In addition, if the trigger condition is satisfied (i.e., someone holds more than half of shares), then there must be exactly one participant who can trigger the repurchase mechanism. This makes our mechanism easy to implement. Our mechanism also works well if the threshold is larger than $\frac{1}{2}$.

Let v_i be N_i 's value estimate for one unit of $SNFT(id)$ and p_i be the bid provided by $N_i, i = 0, \dots, k$, in a deal. Specially, our smart contract C_{NFT} requires each value $v_i \in \{1, \dots\}$ and bid $p_i \in \{0, 1, \dots\}$ to discretize our analysis. We assume that the estimation of v_i is private information of N_i , not known to others. The main reason is that most of NFT objects, such as digital art pieces, would be appreciated differently in different eyes. Participants may have different opinions about a same NFT, which makes each of them has a private value v_i . Without loss of generality, we assume that N_i 's private value on the complete NFT is $M \cdot v_i$.

Mechanism 1 (Repurchase Mechanism) *Suppose participant N_0 owes more than half of $SNFT(id)$ and triggers the repurchase mechanism. For the repurchase between N_0 and $N_i, i = 1, \dots, k$,*

- if $p_0 \geq p_i$, then N_0 successfully repurchases m_i units of $SNFT(id)$ from N_i at the unit price of $\frac{p_0 + p_i}{2}$;

- if $p_0 \leq p_i - 1$, then N_0 fails to repurchase, and then he shall sell m_i units of $SNFT(id)$ to N_i . The unit price that N_i pays is $\frac{p_0+p_i}{2}$, and N_0 obtains a discounted revenue $\frac{p_0+p_i-1}{2}$ for each unit of $SNFT(id)$.

Mechanism 1 requires that the repurchase process only happens between N_0 and N_i , $i = 1, \dots, k$. If $p_0 \geq p_i$, then N_0 successfully repurchases m_i units of $SNFT(id)$ from N_i , and the utilities of N_0 and N_i are

$$U_0^i(p_0, p_i) = m_i(v_0 - \frac{p_0 + p_i}{2}), U_i(p_0, p_i) = m_i(\frac{p_0 + p_i}{2} - v_i), \text{ if } p_0 \geq p_i. \quad (1)$$

If $p_0 < p_i$, then N_0 fails to repurchase from N_i , and the utilities of N_0 and N_i are

$$U_0^i(p_0, p_i) = m_i(\frac{p_0 + p_i - 1}{2} - v_0), U_i(p_0, p_i) = m_i(v_i - \frac{p_0 + p_i}{2}), \text{ if } p_0 \leq p_i - 1 \quad (2)$$

All participants must propose their bids rationally under Mechanism 1. If the bid p_0 is too low, N_0 would face the risk of repurchase failure. Thus, the securities of N_0 would be purchased by other participants at a low price, and N_0 's utility may be negative. Similarly, if bid p_i of N_i , $i = 1, \dots, k$, is too high, N_i would purchase securities with an extra high price and get negative utility. However, if a participant bids truthfully, he always obtains non-negative utility.

During the repurchase process, the key issue for each participant is how to bid p_i , $i = 0, \dots, k$, based on its own value estimation. To solve this issue, we would model the repurchase process as a stackelberg game to explore the equilibrium pricing solution in the following Section 3 to 5.

2.4 NFT Restruction Process

Once one participant successfully repurchases all securitized NFTs, he has the right to trigger $CNFTrestruccion(addr, id)$, shown in Algorithm 2, to burn these securitized NFTs in Line 3 to 4 and unfreeze $CNFT(id)$, such that the ownership of $CNFT(id)$ would be transferred from address $FrozenAddr$ to this participant's address $addr$ in Line 5.

After NFT restruction, all $SNFT(id)$ are burnt, and $CNFT(id)$ is unfrozen. The owner of $CNFT(id)$ has the right to securitize it or trade it as a whole.

Algorithm 2 NFT Restruction

- 1: **procedure** CNFTRESTRUCTION ▷ Triggered by *sender*
 - 2: $require(tokenBalance[id][sender] == totalSupply[id])$ ▷ *sender* should be the owner of all $SNFT(id)$
 - 3: $totalSupply[id] \leftarrow 0$ ▷ Burn all $SNFT(id)$
 - 4: $tokenBalance[id][sender] \leftarrow 0$ ▷ Burn all $SNFT(id)$
 - 5: $CNFTtransferFrom(FrozenAddr, addr, id)$ ▷ Unfreeze $CNFT(id)$
-

3 Two-Player Repurchase Stackelberg Game

This section discusses the repurchase process for a two-player scenario. To be specific, in the two-player scenario, when a player owns more than half of $SNFT(id)$, denoted by N_0 , he will trigger the repurchase process with another player N_1 . To explore the optimal bidding strategy for both players, we model the repurchase process as a two-stage Stackelberg game, in which N_1 acts as the leader to set its bid p_1 in Stage I, and N_0 , as the follower, decides its bid p_0 in Stage II. Recall that all bids and all values are in $\{0, 1, \dots\}$.

- (1) N_0 's bidding strategy in Stage II: Given the bid of p_1 , set by N_1 in Stage I, N_0 decides its bid to maximize its utility, which is given as:

$$U_0(p_0, p_1) = \begin{cases} m_1(v_0 - \frac{p_0+p_1}{2}) & \text{if } p_0 \geq p_1; \\ m_1(\frac{p_0+p_1-1}{2} - v_0) & \text{if } p_0 \leq p_1 - 1. \end{cases} \quad (3)$$

- (2) N_1 's bidding strategy in Stage I: Once obtain the optimal bid $p_0^*(p_1)$ of N_0 in Stage II, which is dependent on p_1 , N_1 goes to compute the optimal bid p_1^* by maximizing his utility function $\max_{p_1} U_1(p_0^*(p_1), p_1)$, where

$$U_1(p_0, p_1) = \begin{cases} m_1(\frac{p_0+p_1}{2} - v_1) & \text{if } p_1 \leq p_0; \\ m_1(v_1 - \frac{p_0+p_1}{2}) & \text{if } p_1 \geq p_0 + 1. \end{cases} \quad (4)$$

3.1 Analysis under Complete Information

- (1) **Best response of N_0 in Stage II.** Given the bid p_1 provided by N_1 , in Stage II, N_0 shall determine the best response $p_0^*(p_1)$ to maximize his utility.

Lemma 1. *In the two-stage Stackelberg game for repurchase process, if the bid p_1 is given in Stage I, the best response of N_0 in Stage II is*

$$p_0^*(p_1) = \begin{cases} p_1 - 1 & \text{if } p_1 \geq v_0 + 1 \\ p_1 & \text{if } p_1 \leq v_0 \end{cases} \quad (5)$$

Proof. According to (3), U_0 is monotonically increasing when $p_0 \leq p_1 - 1$ and monotonically decreasing when $p_0 \geq p_1$. So $p_0^*(p_1) \in \{p_1 - 1, p_1\}$. In addition, when $p_1 \geq v_0 + 1$, we have

$$U_0(p_0 = p_1, p_1) = m_1(v_0 - p_1) < 0 \leq m_1(p_1 - 1 - v_0) = U_0(p_0 = p_1 - 1, p_1).$$

It implies that the best response of N_0 is $p_0^*(p_1) = p_1 - 1$ if $p_1 \geq v_0 + 1$. When $p_1 \leq v_0$, we have

$$U_0(p_0 = p_1, p_1) = m_1(v_0 - p_1) \geq 0 > m_1(p_1 - 1 - v_0) = U_0(p_0 = p_1 - 1, p_1).$$

So under the situation of $p_0 \leq v_0$, the best response of N_0 is $p_0^*(p_1) = p_1$. \square

(2) **The optimal strategy of N_1 in Stage I.** The leader N_1 would like to optimize his bidding strategy to maximize his utility shown in (4).

Lemma 2. *In the two-stage Stackelberg game for repurchase process, the optimal bidding strategy for the leader N_1 is*

$$p_1^* = \begin{cases} v_0 & \text{if } v_1 \leq v_0 \\ v_0 + 1 & \text{if } v_1 \geq v_0 + 1. \end{cases} \quad (6)$$

Proof. Based on Lemma 1, we have

$$U_1(p_0^*(p_1), p_1) = \begin{cases} m_1(p_1 - v_1) & \text{if } p_1 \leq v_0; \\ m_1(v_1 - p_1 + \frac{1}{2}) & \text{if } p_1 \geq v_0 + 1. \end{cases}$$

Thus U_1 is monotonically increasing when $p_1 \leq v_0$ and monotonically decreasing when $p_1 \geq v_0 + 1$, indicating the optimal bidding strategy $p_1^* \in \{v_0, v_0 + 1\}$. In addition, for the case of $v_0 \geq v_1$, if $p_1 = v_0$, then $p_0^*(p_1) = p_1 = v_0$ by Lemma 1 and $U_1(v_0, v_0) = m_1(v_0 - v_1) \geq 0$. On the other hand, if $p_1 = v_0 + 1$, then $p_0^*(p_1) = p_1 - 1 = v_0$ by Lemma 1 and $U_1(v_0, v_0 + 1) = m_1(v_1 - v_0 - \frac{1}{2}) < 0$. Therefore, $U_1(v_0, v_0) > U_1(v_0, v_0 + 1)$, showing the optimal bidding strategy of N_1 is $p_1^* = v_0$ when $v_0 \geq v_1$. Similarly, for the case of $v_0 \leq v_1 - 1$, we can conclude that $p_1^* = v_0 + 1$. This lemma holds. \square

Combining Lemma 1 and 2, the following theorem can be derived directly.

Theorem 1. *When $v_0 \geq v_1$, there is exactly one Stackelberg equilibrium where $p_1^* = p_0^* = v_0$. And when $v_0 \leq v_1 - 1$, there is exactly one Stackelberg equilibrium where $p_0^* = v_0$, $p_1^* = v_0 + 1$.*

Furthermore, the following theorem demonstrates the relation between Stackelberg equilibrium and Nash equilibrium, whose proof is shown in the full version of this paper.

Theorem 2. *Each Stackelberg equilibrium in Theorem 1 is also a Nash equilibrium.*

3.2 Analysis of Bayesian Stackelberg Equilibrium

In the previous subsection, the Stackelberg equilibrium is deduced based on the complete information about the value estimate v_0 and v_1 . However, the value estimates may be private in practice, which motivates us to study the Bayesian Stackelberg game with incomplete information. In this proposed game, although the value estimate v_i is not known to others, except for itself N_i , $i = 0, 1$, the probability distribution of each V_i is public to all. Here we use V_i to denote the random variable of value estimate. Based on the assumption that all V_i are integers, we continue to assume that each N_i 's value estimate V_i has finite integer states, denoted by $v_i^1, v_i^2, \dots, v_i^{k_i}$, and its discrete probability distribution is $Pro(V_i = v_i^l) = P_i^l$, $l = 1, \dots, k_i$, and $\sum_{l=1}^{k_i} P_i^l = 1$, $i = 0, 1$.

(1) **Best response of N_0 in Stage II.** Because v_0 is deterministic to N_0 , and p_1 is given by N_1 in Stage I, Lemma 1 still holds, so

$$p_0^*(p_1) = \begin{cases} p_1 - 1 & \text{if } p_1 \geq v_0 + 1; \\ p_1 & \text{if } p_1 \leq v_0. \end{cases}$$

(2) **Optimal bidding strategy of N_1 in Stage I.** By Lemma 1, we have

$$U_1(p_0^*(p_1), p_1) = \begin{cases} m_1(p_1 - v_1) & \text{if } p_1 \leq v_0; \\ m_1(v_1 - p_1 + \frac{1}{2}) & \text{if } p_1 \geq v_0 + 1. \end{cases}$$

Based on the probability distribution of V_0 , the expected utility of U_1 is:

$$E_1(p_1) = \sum_{v_0^l \geq p_1} m_1(p_1 - v_1)P_0^l + \sum_{v_0^l \leq p_1 - 1} m_1(v_1 - p_1 + \frac{1}{2})P_0^l \quad (7)$$

To be specific, if $p_1 \geq v_0^{k_0} + 1$, then $E_1(p_1) = m_1(v_1 - p_1 + \frac{1}{2})$, and N_1 obtains his maximal expected utility at $p_1^* = v_0^{k_0} + 1$. If $p_1 \leq v_0^1$, then $E_1(p_1) = m_1(p_1 - v_1)$, and N_1 obtains his maximal expected utility at $p_1^* = v_0^1$. If there exists an index l , such that $v_0^{l-1} < p_1 \leq v_0^l$, $l = 2, \dots, k_0$, then

$$E_1(p_1) = \sum_{h=1}^{l-1} m_1(v_1 - p_1 + \frac{1}{2})P_0^h + \sum_{h=l}^{k_0} m_1(p_1 - v_1)P_0^h.$$

Therefore, N_1 can obtain his maximal expected utility at $p_1^* = v_0^l$, when $\sum_{h=l}^{k_0} P_0^h \geq \sum_{h=1}^{l-1} P_0^h$. Otherwise, N_1 's maximal expected utility is achieved at $p_1^* = v_0^{l-1} + 1$. Hence, the optimal bid $p_1^* \in \{v_0^l, v_0^l + 1\}_{l=1, \dots, k_0}$.

Theorem 3. *There is a Stackelberg equilibrium in the Bayesian Stackelberg game.*

- (1) If $p_1^* \leq v_0$, then $p_0 = p_1^*$ and $p_1 = p_1^*$ is a Stackelberg equilibrium.
- (2) If $p_1^* \geq v_0 + 1$, then $p_0 = p_1^* - 1$ and $p_1 = p_1^*$ is a Stackelberg equilibrium.

4 Repeated Two-Player Stackelberg Game

This section would extend the study of the one-round Stackelberg game in the previous section to the repeated Stackelberg game. Before our discussion, we construct the basic model of a repeated two-player Stackelberg game by introducing the necessary notations.

Definition 1. *Repeated two-player Stackelberg repurchase game is given by a tuple $G_r = (M, N, V, S, L, P, U)$, where:*

- $N = \{N_0, N_1\}$ is the set of two participants. The role of being a leader or a follower may change in the whole repeated process.

- M is the total amount of $SNFT(id)$. W.l.o.g., we assume that M is odd, such that one of $\{N_0, N_1\}$ must have more than half of $SNFT(id)$.
- $V = \{v_0, v_1\}$ is the set of participants' value estimates. Let $v_i \in \{1, 2, 3, \dots\}$ be an integer.
- $S = \{s^1, s^2, \dots, s^t, z\}$ is the set of sequential states. $s^j = (m_0^j, m_1^j)$, in which $m_0^j, m_1^j > 0$ are integers, $m_0^j + m_1^j = M$, and $m_0^j \neq m_1^j$ because M is odd. $z \in Z = \{z_0, z_1\}$ represents the terminal state, where $z_0 = (M, 0), z_1 = (0, M)$. If the sequential states are infinity, then $t = +\infty$. Let us denote $(m_0^{t+1}, m_1^{t+1}) = z$.
- $L = \{l^1, l^2, \dots, l^t\}$ is the set of sequential leaders, where l^j is the leader in the j -th round. To be specific, $l^j = N_1$, if $m_0^j > m_1^j$; otherwise, $l^j = N_0$. It shows the participant who triggers the repurchase process in each round should be the follower.
- $P_i = \{p_i^1, p_i^2, \dots, p_i^t\}$ is the set of sequential prices bidded by N_i , $p_i^j \in \{0, 1, 2, \dots\}$.
- $U_i : S \times P_0 \times P_1 \rightarrow R$ is the utility function of player N_i in a single round. The detailed expressions of U_i will be proposed later.

In practice, v_i , $i = 0, 1$, may not be common information. However, we can extract them from the historical interaction data of the repeated game by on-line learning [22] or reinforcement learning [13] methods. Therefore, we mainly discuss the case with complete information in this section.

Repeated Stackelberg Game Procedure Repeated game G_r consists of several rounds, and each round contains two stages. In the j -th round,

- In **Stage I**, the leader provides a bid $p_i^j \in \{0, 1, \dots\}$.
- In **Stage II**, the follower provides a bid $p_{1-i}^j \in \{0, 1, \dots\}$.
- If $p_i^j \leq p_{1-i}^j$, N_{1-i} successfully purchased m_i^j units of $SNFT(id)$ from N_i at the unit price of $\frac{p_i^j + p_{1-i}^j}{2}$.
- If $p_i^j \geq p_{1-i}^j + 1$, N_i purchases m_i^j units of $SNFT(id)$ from N_{1-i} at the unit price of $\frac{p_i^j + p_{1-i}^j}{2}$. And N_{1-i} only obtains a discounted revenue $m_i^j \cdot \frac{p_i^j + p_{1-i}^j - 1}{2}$.

The whole game process is shown in Figure 1. Based on the description for the j -th round of repeated game, the utilities of N_0 and N_1 are

$$U_0(m_0^j, m_1^j, p_0^j, p_1^j) = \begin{cases} (v_0 - (p_0^j + p_1^j)/2)m_1^j & \text{if } p_0^j \geq p_1^j, m_0^j > m_1^j; \\ ((p_0^j + p_1^j - 1)/2 - v_0)m_1^j & \text{if } p_0^j < p_1^j, m_0^j > m_1^j; \\ ((p_0^j + p_1^j)/2 - v_0)m_0^j & \text{if } p_1^j \geq p_0^j, m_0^j < m_1^j; \\ (v_0 - (p_1^j + p_0^j)/2)m_0^j & \text{if } p_1^j < p_0^j, m_0^j < m_1^j; \end{cases} \quad (8)$$

$$U_1(m_0^j, m_1^j, p_0^j, p_1^j) = \begin{cases} ((p_0^j + p_1^j)/2 - v_1)m_1^j & \text{if } p_0^j \geq p_1^j, m_0^j > m_1^j; \\ (v_1 - (p_0^j + p_1^j)/2)m_1^j & \text{if } p_0^j < p_1^j, m_0^j > m_1^j; \\ (v_1 - (p_0^j + p_1^j)/2)m_0^j & \text{if } p_1^j \geq p_0^j, m_0^j < m_1^j; \\ ((p_0^j + p_1^j - 1)/2 - v_1)m_0^j & \text{if } p_1^j < p_0^j, m_0^j < m_1^j. \end{cases} \quad (9)$$




Fig. 1. Two-player repeated repurchase Stackelberg Game.

Both participants are interested in their total utilities in the whole process

$$U_i = \sum_{j \in \{1, 2, \dots, t\}} U_i(m_0^j, m_1^j, p_0^j, p_1^j).$$

Lemma 3. For each participant N_i , $i \in \{0, 1\}$, if his bid is set as $p_i^j = v_i$ in the j -th round, $j \in \{1, 2, \dots, t\}$, then $U_i(m_0^j, m_1^j, p_0^j, p_1^j) \geq 0$.

Lemma 3 can be directly deduced from (8) and (9).

Lemma 4. If the repeated game goes through indefinitely, that is $t = +\infty$, then $U_0 + U_1 = -\infty$.

Proof. For the j -th round, let $N_i = l^j$ be the leader and thus N_{1-i} is the follower. Since there are only two players, all $SNFT(id)$ will belong to one player, if the follower can successfully repurchase $SNFT(id)$ from the leader, and then the repeated game stops. It means that in the j -th round, m_i^j units of $SNFT(id)$ is bought by N_{1-i} from N_i and the game stops at the terminal state z_{1-i} . So if the repeated game goes through indefinitely, it must be that in each $j \in \{1, 2, \dots\}$, $p_i^j > p_{1-i}^j$, and N_i buys m_i^j from N_{1-i} . Thus in the $j+1$ -th round, $m_i^{j+1} = 2m_i^j$.

$$\begin{aligned} & U_0(m_0^j, m_1^j, p_0^j, p_1^j) + U_1(m_0^j, m_1^j, p_0^j, p_1^j) = \\ & \begin{cases} (v_0 - v_1)m_0^j - \frac{1}{2}m_0^j = (v_0 - v_1)(m_0^{j+1} - m_0^j) - \frac{1}{2}m_0^j & \text{if } N_0 \text{ is the leader;} \\ (v_1 - v_0)m_1^j - \frac{1}{2}m_1^j = (v_1 - v_0)(m_1^{j+1} - m_1^j) - \frac{1}{2}m_1^j & \text{if } N_1 \text{ is the leader;} \end{cases} \\ & \leq (m_0^{j+1} - m_0^j)(v_0 - v_1) - \frac{1}{2}; \end{aligned} \quad (10)$$

and

$$\begin{aligned}
 U_0 + U_1 &= \lim_{t \rightarrow +\infty} \sum_{j=\{1,2,\dots,t\}} U_0(m_0^j, m_1^j, p_0^j, p_1^j) + U_1(m_0^j, m_1^j, p_0^j, p_1^j) \\
 &\leq \lim_{t \rightarrow +\infty} \sum_{j=\{1,2,\dots,t\}} \left[(m_0^{j+1} - m_0^j)(v_0 - v_1) - \frac{1}{2} \right] \\
 &= \lim_{t \rightarrow +\infty} \left[(m_0^{t+1} - m_0^1)(v_0 - v_1) - \frac{1}{2}t \right] \leq M|v_0 - v_1| - \lim_{t \rightarrow +\infty} \frac{1}{2}t = -\infty.
 \end{aligned}$$

This result holds. \square

Combining Lemma 3 and Lemma 4, we have the following conclusion.

Lemma 5. *If there is a Stackelberg equilibrium in the two-player repeated Stackelberg game, then $U_0 + U_1 \geq 0$ in this Stackelberg equilibrium.*

Proof. Suppose to the contrary that $U_0 + U_1 < 0$ in this Stackelberg equilibrium, then there must exist $i \in \{0, 1\}$, such that $U_i < 0$. However, by Lemma 3, we know that if each player sets its price as $p_i^j = v_i$, then its utility $U_i^j \geq 0$. Hence N_i can obtain more utility by setting $p_i^j = v_i$, which is a contradiction that N_i doesn't give the best response in this Stackelberg equilibrium. \square

Lemma 6. *If there is a Stackelberg equilibrium in the two-player repeated Stackelberg game, then the repeated game stops in a finite number of steps, meaning $t < +\infty$, in this Stackelberg equilibrium.*

The following theorem states that once a Stackelberg equilibrium exists and $v_i > v_{1-i}$, then this player N_i must buy all $SNFT(id)$ at last.

Theorem 4. *If $v_i > v_{1-i}$, $i = 0, 1$, and a Stackelberg equilibrium exists, then $z = z_i$, in all Stackelberg equilibria.*

Proof. By (8) and (9), we have

$$\begin{aligned}
 U_0(m_0^j, m_1^j, p_0^j, p_1^j) + U_1(m_0^j, m_1^j, p_0^j, p_1^j) &\leq (m_0^{j+1} - m_0^j)(v_0 - v_1). \\
 U_0 + U_1 &\leq \sum_{j \in \{1,2,\dots,t\}} U_0(m_0^j, m_1^j, p_0^j, p_1^j) + U_1(m_0^j, m_1^j, p_0^j, p_1^j) \\
 &\leq \sum_{j \in \{1,2,\dots,t\}} (m_0^{j+1} - m_0^j)(v_0 - v_1) = (m_0^{t+1} - m_0^1)(v_0 - v_1).
 \end{aligned}$$

If $v_0 > v_1$, then it must be $m_0^{t+1} > m_0^1$. Otherwise, $U_0 + U_1 < 0$, showing no Stackelberg equilibrium exists. This is a contradiction. Because the repeated game stops in a finite number of steps, $m_0^{t+1} \in \{0, M\}$. Combing the condition $m_0^{t+1} > m_0^1 > 0$, we have $m_0^{t+1} = M$. Therefore, at last $z = z_0$. Similarly, it is easy to deduce $z = z_1$ if $v_1 > v_0$. \square

Based on Theorem 4, we go to prove the existence of the Stackelberg equilibrium by proposing an equilibrium strategy in the following theorem. Its proof is provided in the full version of this paper.

Theorem 5. *If $v_i > v_{1-i}$, $i = 0, 1$, the following strategy is a Stackelberg equilibrium:*

$$p_{1-i}^j = v_{1-i}; \quad p_i^j = \begin{cases} v_{1-i} + 1 & \text{if } l^j = i; \\ p_{1-i} & \text{if } l^j = 1 - i, p_{1-i} \leq v_{1-i}; \\ p_{1-i} - 1 & \text{if } l^j = 1 - i, p_{1-i} > v_{1-i}. \end{cases} \quad (11)$$

5 Multi-Player Repurchase Stackelberg Game

This section goes to extend the discussion for the multi-player scenario, in which N_0 has more than half of $SNFT(id)$, and $\{N_1, \dots, N_k\}$ are repurchased participants. N_0 triggers the repurchase process, and asks all other repurchased participants to report their bids p_i at first, and N_0 decides his bid p_0 later. We also model the repurchase process of the multi-player scenario as a two-stage Stackelberg game, where $\{N_1, \dots, N_k\}$ are the leaders to determine their bids in Stage I, and N_0 acts as the followers to decide his bid p_0 in Stage II. Different from the two-player scenario, N_0 shall trade with each N_i , $i = 1, \dots, k$. Then each N_i , $i = 1, \dots, k$, has his utility $U_i(p_0, p_i)$ as (1) and (2). But the utility of N_0 is the total utility from the trading with all N_i . That is

$$U_0(p_0, p_1, \dots, p_k) = \sum_{i=1}^k U_0^i(p_0, p_i),$$

where $U_0^i(p_0, p_i)$ is defined as (1) and (2).

5.1 Analysis of Stackelberg Equilibrium

In the Stackelberg repurchase game for multi-player scenario, N_0 shall trade with each N_i , $i = 1, \dots, k$. Inspired by the Stackelberg equilibrium in the two-player Stackelberg game, we first discuss the best response of N_0 , if each N_i reports his bid as

$$p_i^* = \begin{cases} v_0 & \text{if } v_i \leq v_0; \\ v_0 + 1 & \text{if } v_i \geq v_0 + 1. \end{cases} \quad (12)$$

Then we study the collusion from a group of repurchased players. Our task is to prove that once a group of repurchased participants deviate from the bidding strategy (12), then their total utility must be decreased. This guarantees that each participant would like to follow the bidding strategy (12).

Lemma 7. *In the Stackelberg repurchase game for the multi-player scenario, if all leaders set their bids $\{p_i^*\}$ as (12) in Stage I, then the best response of the follower N_0 in Stage II is $p_0^*(p_1^*, \dots, p_n^*) = v_0$.*

Proof. For each trading between N_0 and N_i , $i = 1, \dots, k$, Lemma 1 ensures that $v_0 = \operatorname{argmax}_{p_0} U_0^i(p_0, p_i^*)$. Since each $U_0^i(p_0, p_i^*) \geq 0$, we have

$$p_0^*(p_1^*, \dots, p_k^*) = \operatorname{argmax}_{p_0} U_0(p_0, p_1^*, \dots, p_k^*) = \operatorname{argmax}_{p_0} \sum_{i=1}^k U_0^i(p_0, p_i^*) = v_0.$$

This lemma holds. \square

To study the collusion of repurchased participants, we partition the set of $\{N_1, \dots, N_k\}$ into two disjoint subsets A and B , such that each $N_i \in A$ follows the bidding strategy (12), while each $N_i \in B$ does not. Thus given all bids provided by players, the bid profile $\mathbf{p} = (p_0, \{p_i^*\}_{N_i \in A}, \{p_i\}_{N_i \in B})$ can be equivalently expressed as $\mathbf{p} = (p_0, \mathbf{p}_A^*, \mathbf{p}_B)$. Here we are interested in the total utility of all players in B , and thus define

$$U_B(p_0, \mathbf{p}_A^*, \mathbf{p}_B) = \sum_{N_i \in B} U_i(p_0, p_i).$$

Following Lemma shows that once a group of participants deviate from the bidding strategy (12), then their total utility decreases. The proof is in the full version of this paper.

Lemma 8. *Let $A = \{N_i | p_i = p_i^*\}$ and $B = \{N_i | p_i \neq p_i^*\}$. Then*

$$U_B(p_0^*(\mathbf{p}_A^*, \mathbf{p}_B), \mathbf{p}_A^*, \mathbf{p}_B) < U_B(v_0, p_1^*, p_2^*, \dots, p_k^*).$$

Theorem 6. *In the multi-player Stackelberg repurchase game, the bid profile $(v_0, p_1^* \dots, p_k^*)$ is a Stackelberg equilibrium, where p_i^* is set as (12).*

Proof. To simplify our discussion, we define the price profile $\mathbf{p}^* = (p_1^*, \dots, p_k^*)$, and \mathbf{p}_{-i}^* denotes the profile without the price of N_i . So $\mathbf{p}^* = (\mathbf{p}_{-i}^*, p_i^*)$. From Lemma 7, we have the best response of N_0 in Stage II is $p_0^*(\mathbf{p}^*) = v_0$. However, Lemma 8 indicates that no one would like to deviate from the pricing strategy (12), as $U_i(p_0^*(\mathbf{p}_{-i}^*, p_i), \mathbf{p}_{-i}^*, p_i) < U_i(v_0, \mathbf{p}_i^*)$. Thus given the price profile \mathbf{p}^* , nobody would like to change its strategy p_i^* unilaterally. Therefore, $(v_0, p_1^* \dots, p_k^*)$ is a Stackelberg equilibrium. \square

From the perspective of cooperation, we can observe that no group of repurchased participants would like to collude to deviate from the bidding strategy (12) by Lemma 8. Thus we have the following corollary.

Corollary 1. *Given the Stackelberg equilibrium of $(v_0, p_1^* \dots, p_k^*)$, no group of repurchased participants would like to deviate this equilibrium.*

In the case of incomplete information, the analysis of the Bayesian Stackelberg equilibrium becomes extremely complicated. As discussed in Section 3.2, in the case of the two-player Stackelberg game, the leader only needs to optimize the utility based on incomplete information. However, when there are multiple leaders, the strategies of leaders should reach a Bayesian Nash equilibrium, which is much more difficult to calculate. So we regard it as our future work to analyze the Bayesian Stackelberg equilibrium of the multi-player repurchase Stackelberg game.

6 Discussion

6.1 A Blockchain Solution to Budget Constraints

In the previous settings, we do not consider the budget constraints. However, this is a common problem for many newly proposed mechanisms. Therefore, we propose a solution scheme by blockchain for the setting with budget constraints.

Suppose N_0 owes more than half of $SNFT(id)$ and triggers the repurchase process. Our mechanism consists of two stages. All participants except for N_0 report their bids in Stage I, and N_0 gives his bid p_0 in Stage II. We assume N_0 's budget is larger than $(M - m_0)p_0$, so that he can repurchase all other shares at his bid p_0 . For N_i , $i \neq 0$, if $p_i > p_0$, N_i should pay $\frac{p_0 + p_i}{2} m_i$. However, the payment of $\frac{p_0 + p_i}{2} m_i$ may exceed his budget, such that N_i has not enough money to buy m_i units of $SNFT(id)$. Under this situation, we provide a blockchain solution for N_i to solve the problem of budget shortage. That is, we allow N_i to sell his option of buying m_i units of $SNFT(id)$ to anyone in the blockchain system. If nobody would like to buy N_i 's repurchase option, then N_0 can repurchase N_i 's shares at a lower price. Therefore, after reporting bids, additional four steps are needed to finish the payment procedure.

- Step 1. N_0 pays $\sum_{i \in \{1, 2, \dots, k\}, p_i \leq p_0} \frac{p_0 + p_i}{2} m_i$. After the payment, N_0 gets $\sum_{i \in \{1, 2, \dots, k\}, p_i \leq p_0} m_i$ pieces of $SNFT(id)$. For each N_i with $p_i \leq p_0$, $i \in \{1, 2, \dots, k\}$, he gets the revenue of $\frac{p_0 + p_i}{2} \cdot m_i$ and loses m_i units of $SNFT(id)$.
- Step 2. For all $i \in \{1, 2, \dots, k\}$ that $p_i > p_0$, N_i shall pay $\frac{p_0 + p_i}{2} \cdot m_i$ to buy m_i units of $SNFT(id)$ from N_0 . Once m_i units of $SNFT(id)$ of N_0 is sold to N_i , N_0 obtains a discounted revenue $\frac{p_0 + p_i - 1}{2} \cdot m_i$.
If N_i would not like to repurchase $SNFT(id)$, then he can sell his repurchase option to others at a price of $\tilde{p}_i \in \mathbb{Z}$. The price of repurchase option \tilde{p}_i could be negative, meaning that N_i shall pay \tilde{p}_i to another who accepts his chance. If N_i does nothing, we regard that N_i proposes $\tilde{p}_i = 0$.
- Step 3. If a participant in the blockchain system accepts the price of \tilde{p}_i , then he would propose a transaction to buy m_i units of $SNFT(id)$ from N_0 . The total cost of this participant is $\tilde{p}_i + \frac{p_0 + p_i}{2} \cdot m_i$, in which \tilde{p}_i is paid to N_i and N_0 obtains a discounted revenue of $\frac{p_0 + p_i - 1}{2} \cdot m_i$. And m_i units of $SNFT(id)$ are transferred from N_0 to the participant who buys the repurchase option. At the end of this step, let C be the participant set, in which each participant's repurchase option hasn't been sold yet.
- Step 4. For each participant $N_i \in C$, N_0 repurchases m_i units of $SNFT(id)$ from N_i at a lower price of $2p_0 - p_i (< p_0)$. At the end of this step, N_0 obtains m_i units of $SNFT(id)$, and N_i obtains a revenue of $(2p_0 - p_i) \cdot m_i$.

6.2 A Blockchain Solution to Lazy Bidders

Under some circumstances, an $SNFT(id)$ holder might not bid in the repurchase process, who is named as a lazy bidder. This lazy behavior may block the repurchase process. To solve the problem caused by lazy bidders, we propose the following two schemes.

- **Custody Bidding.** NFT’s smart contract supports the feature for the $SNFT(id)$ holders to assign administrators to report a bid when the holder is idle or fails to make a bid.
- **Value Predetermination.** Whenever a participant obtains any units of $SNFT(id)$, this participant is required to predetermine the value at which he is willing to bid, and this information is stored in the smart contract. At the beginning of the repurchase process, if a participant fails to make a bid within a certain amount of time, the smart contract automatically reports this participant’s predetermined bid. This does not mean, however, that the participant has to bid at the predetermined price if he decides to make an active bid.

7 Conclusion

In this paper, we propose a novel securitization and repurchase scheme for NFT to overcome the restrictions in existing NFT markets. We model the NFT repurchase process as a Stackelberg game and analyze the Stackelberg equilibria under several scenarios. To be specific, in the setting of the two-player one-round game, we prove that in a Stackelberg equilibrium, N_0 , the participant who triggers the repurchase process, shall give the bid equally to his own value estimate. In the two-player repeated game, all securities shall be finally owned by the participant who has a higher value estimate. In the setting of multiple players, cooperation among participants cannot bring higher utilities to them. What’s more, each participant can get non-negative utility if he bids truthfully in our repurchase process.

How to securitize and repurchase NFT efficiently is a popular topic in the field of blockchain. Our work proposes a sound solution for this problem. In the future, we continue to refine our theoretical analysis. First, for the multi-player repurchase Stackelberg game, we will consider the case with incomplete information and explore the Bayesian Stackelberg equilibrium. Second, a model of blockchain economics will be constructed to analyze the payment procedure in Section 6.1. Furthermore, there exist some other interesting problems, including how to securitize and repurchase a common-valued NFT [11], how to host Complete NFTs or Securitized NFTs in decentralized custody protocols [5], whether ABSNFT can serve as a price Oracle, and so on.

Acknowledgment

This research was partially supported by the National Major Science and Technology Projects of China-“New Generation Artificial Intelligence” (No. 2018AAA 0100901), the National Natural Science Foundation of China (No. 11871366), and Qing Lan Project of Jiangsu Province.

References

1. Acharya, V.V., Oncu, S.: The repurchase agreement (repo) market. *Regulating Wall Street* pp. 319–350 (2011)
2. Angeris, G., Chitra, T.: Improved price oracles: Constant function market makers. In: *Proceedings of the 2nd ACM Conference on Advances in Financial Technologies*. pp. 80–91 (2020)
3. Bhattacharya, A.K., Fabozzi, F.J.: *Asset-backed securities*, vol. 13. John Wiley & Sons (1996)
4. Çağlayan Aksoy, P., Özkan Üner, Z.: Nfts and copyright: challenges and opportunities. *Journal of Intellectual Property Law & Practice* (2021)
5. Chen, Z., Yang, G.: Decentralized custody scheme with game-theoretic security. *arXiv preprint arXiv:2008.10895* (2020)
6. Constantinides, G.M., Grundy, B.D.: Optimal investment with stock repurchase and financing as signals. *The Review of Financial Studies* **2**(4), 445–465 (1989)
7. ERC-1155: <https://erc1155.org/>
8. ERC-721: <https://erc721.org/>
9. Fairfield, J.: Tokenized: The law of non-fungible tokens and unique digital property. *Indiana Law Journal*, Forthcoming (2021)
10. Hong, S., Noh, Y., Park, C.: Design of extensible non-fungible token model in hyperledger fabric. In: *Proceedings of the 3rd Workshop on Scalable and Resilient Infrastructures for Distributed Ledgers*. pp. 1–2 (2019)
11. Kagel, J.H., Levin, D.: *Common value auctions and the winner’s curse*. Princeton University Press (2009)
12. Kong, D.R., Lin, T.C.: Alternative investments in the fintech era: The risk and return of non-fungible token (nft). Available at SSRN 3914085 (2021)
13. Li, C., Yan, X., Deng, X., Qi, Y., Chu, W., Song, L., Qiao, J., He, J., Xiong, J.: Latent dirichlet allocation for internet price war. In: *Proceedings of the AAAI Conference on Artificial Intelligence*. vol. 33, pp. 639–646 (2019)
14. Lucas, C.M., Jones, M.T., Thurston, T.B.: Federal funds and repurchase agreements. *Federal Reserve Bank of New York Quarterly Review* **2**(2), 33–48 (1977)
15. Mammadzada, K., Iqbal, M., Milani, F., García-Bañuelos, L., Matulevičius, R.: Blockchain oracles: A framework for blockchain-based applications. In: *International Conference on Business Process Management*. pp. 19–34. Springer (2020)
16. Oxygen: Breathing new life into crypto assets. https://oxygen.trade/OXYGEN.White_paper_February.pdf
17. Serum: <https://www.projectserum.com/>
18. Valeonti, F., Bikakis, A., Terras, M., Speed, C., Hudson-Smith, A., Chalkias, K.: Crypto collectibles, museum funding and openglam: Challenges, opportunities and the potential of non-fungible tokens (nfts). *Applied Sciences* **11**(21), 9931 (2021)
19. Von Stackelberg, H.: *Market structure and equilibrium*. Springer Science & Business Media (2010)
20. Wang, D., Wu, S., Lin, Z., Wu, L., Yuan, X., Zhou, Y., Wang, H., Ren, K.: Towards a first step to understand flash loan and its applications in defi ecosystem. In: *Proceedings of the Ninth International Workshop on Security in Blockchain and Cloud Computing*. pp. 23–28 (2021)
21. Wang, Q., Li, R., Wang, Q., Chen, S.: Non-fungible token (nft): Overview, evaluation, opportunities and challenges. *arXiv preprint arXiv:2105.07447* (2021)
22. Weed, J., Perchet, V., Rigollet, P.: Online learning in repeated auctions. In: *Conference on Learning Theory*. pp. 1562–1583. PMLR (2016)